


UNSER PRODUKTKATALOG

Räumdorne für PCM-Halter, Zürn-/Arno-Halter
Werkstoff: HSS 1.3343 – gehärtet


Räumdorne Innensechskant

12 x 55 mm | auch TIN-beschichtet erhältlich




Bestellnummer	Artikel	D	L	SW	RT
12-1,5	P 1255-1,5	12	55	1,5	3,6/3,4
12-2	P 1255-2	12	55	2	5,6/5,4
12-2,5	P 1255-2,5	12	55	2,5	6,0/5,8
12-3	P 1255-3	12	55	3	6,2/6,0
12-3,5	P 1255-3,5	12	55	3,5	6,2/6,0
12-4	P 1255-4	12	55	4	8,5/8,3
12-5	P 1255-5	12	55	5	10,7/10,5
12-6	P 1255-6	12	55	6	11,1
12-6,35	P 1255-6,35	12	55	1/4"	11,4
12-7	P 1255-7	12	55	7	12,7
12-8	P 1255-8	12	55	8	12,8
12-9	P 1255-9	12	55	9	13,0
12-10	P 1255-10	12	55	10	15,8
12-11	P 1255-11	12	55	11	16,5
12-12	P 1255-12	12	55	12	17,0
12-13	P 1255-13	12	55	13	17,0
12-14	P 1255-14	12	55	14	16,5
12-15	P 1255-15	12	55	15	17,0
12-16	P 1255-16	12	55	16	17,0
12-17	P 1255-17	12	55	17	17,0
12-18	P 1255-18	12	55	18	17,0
12-19	P 1255-19	12	55	19	17,0
12-22	P 1255-22	12	55	22	18,0
12-24	P 1255-24	12	55	24	18,0
12-27	P 1255-27	12	55	27	18,0

8 x 28 mm | auch TIN-beschichtet erhältlich




Bestellnummer	Artikel	D	L	SW	RT
8-1,5	P 0828-1,5	8	28	1,5	3,5/3,1
8-2	P 0828-2	8	28	2	5,6/5,4
8-2,5	P 0828-2,5	8	28	2,5	6,0/5,8
8-3	P 0828-3	8	28	3	7,2/7,0
8-3,5	P 0828-3,5	8	28	3,5	7,5/7,3
8-4	P 0828-4	8	28	4	7,8/7,6
8-4,5	P 0828-4,5	8	28	4,5	7,8/7,6
8-5	P 0828-5	8	28	5	9,3/9,1
8-6	P 0828-6	8	28	6	10,0
8-6,35	P 0828-6,35	8	28	1/4"	10,0
8-7	P 0828-7	8	28	7	10,5
8-8	P 0828-8	8	28	8	12,5
8-9	P 0828-9	8	28	9	12,5
8-10	P 0828-10	8	28	10	12,5
8-11	P 0828-11	8	28	11	12,5
8-12	P 0828-12	8	28	12	12,5
8-14	P 0828-14	8	28	14	12,5
8-17	P 0828-17	8	28	17	12,5

5 x 20 mm



Bestellnummer	Artikel	D	L	SW
5-1,5	P 0520-1,5	5	20	1,5
5-2	P 0520-2	5	20	2
5-2,5	P 0520-2,5	5	20	2,5
5-3	P 0520-3	5	20	3
5-4	P 0520-4	5	20	4
5-5	P 0520-5	5	20	5
5-6	P 0520-6	5	20	6
5-7	P 0520-7	5	20	7
5-8	P 0520-8	5	20	8

5 x 17 mm




Bestellnummer	Artikel	D	L	SW
517-1,5	P 0517-2	5	17	1,5
517-2	P 0517-2	5	17	2
517-2,5	P 0517-2,5	5	17	2,5
517-3	P 0517-3	5	17	3
517-4	P 0517-4	5	17	4
517-5	P 0517-5	5	17	5
517-6	P 0517-6	5	17	6

Räumdorne für PCM-Halter, Zürn-/Arno-Halter
Werkstoff: HSS 1.3343 – gehärtet


Räumdorne Inntorx

12 x 55 mm | TIALN-beschichtet




Bestellnummer	Artikel	D	L	Torx
12-T6	P 1255 Torx T 6	12	55	T 6
12-T7	P 1255 Torx T 7	12	55	T 7
12-T8	P 1255 Torx T 8	12	55	T 8
12-T9	P 1255 Torx T 9	12	55	T 9
12-T10	P 1255 Torx T 10	12	55	T 10
12-T15	P 1255 Torx T 15	12	55	T 15
12-T20	P 1255 Torx T 20	12	55	T 20
12-T25	P 1255 Torx T 25	12	55	T 25
12-T27	P 1255 Torx T 27	12	55	T 27
12-T30	P 1255 Torx T 30	12	55	T 30
12-T40	P 1255 Torx T 40	12	55	T 40
12-T45	P 1255 Torx T 45	12	55	T 45
12-T50	P 1255 Torx T 50	12	55	T 50
12-T55	P 1255 Torx T 55	12	55	T 55
12-T60	P 1255 Torx T 60	12	55	T 60
12-T70	P 1255 Torx T 70	12	55	T 70
12-T80	P 1255 Torx T 80	12	55	T 80

8 x 28 mm | TIALN-beschichtet



Bestellnummer	Artikel	D	L	Torx
8-T4	P 0828 Torx T 4	8	28	T 4
8-T5	P 0828 Torx T 5	8	28	T 5
8-T6	P 0828 Torx T 6	8	28	T 6
8-T7	P 0828 Torx T 7	8	28	T 7
8-T8	P 0828 Torx T 8	8	28	T 8
8-T9	P 0828 Torx T 9	8	28	T 9
8-T10	P 0828 Torx T 10	8	28	T 10
8-T15	P 0828 Torx T 15	8	28	T 15
8-T20	P 0828 Torx T 20	8	28	T 20
8-T25	P 0828 Torx T 25	8	28	T 25
8-T27	P 0828 Torx T 27	8	28	T 27
8-T30	P 0828 Torx T 30	8	28	T 30
8-T40	P 0828 Torx T 40	8	28	T 40
8-T45	P 0828 Torx T 45	8	28	T 45
8-T50	P 0828 Torx T 50	8	28	T 50
8-T55	P 0828 Torx T 55	8	28	T 55
8-T60	P 0828 Torx T 60	8	28	T 60


5 x 20 mm | TIALN-beschichtet



Bestellnummer	Artikel	D	L	Torx
5-T6	P 0520 Torx T 6	5	20	T 6
5-T7	P 0520 Torx T 7	5	20	T 7
5-T8	P 0520 Torx T 8	5	20	T 8
5-T9	P 0520 Torx T 9	5	20	T 9
5-T10	P 0520 Torx T 10	5	20	T 10
5-T15	P 0520 Torx T 15	5	20	T 15
5-T20	P 0520 Torx T 20	5	20	T 20
5-T25	P 0520 Torx T 25	5	20	T 25

Räumdorne VW-Norm 01043 - N

12 x 55 mm




Bestellnummer	Artikel	D	L	L1	L2	Größe
12-N4	P 1255 N - 4	12	55	35	20	N 4
12-N5	P 1255 N - 5	12	55	35	20	N 5
12-N6	P 1255 N - 6	12	55	35	20	N 6
12-N8	P 1255 N - 8	12	55	35	20	N 8
12-N10	P 1255 N - 10	12	55	35	20	N 10
12-N12	P 1255 N - 12	12	55	35	20	N 12
12-N14	P 1255 N - 14	12	55	35	20	N 14

Andere Größen auf Anfrage.

Räumdorne für Doppelsechskant

12 x 55 mm



Bestellnummer	Artikel	D	L	L1	L2	Größe
1255-4	P 1255-12-0400	12	55	35	20	SW 4
1255-5	P 1255-12-0500	12	55	35	20	SW 5
1255-6	P 1255-12-0600	12	55	35	20	SW 6
1255-8	P 1255-12-0800	12	55	35	20	SW 8
1255-10	P 1255-12-1000	12	55	35	20	SW 10
1255-12	P 1255-12-1200	12	55	35	20	SW 12
1255-14	P 1255-12-1400	12	55	35	20	SW 14

Andere Größen auf Anfrage.

Räumdorne für Index-Halter
Werkstoff: HSS 1.3343 – gehärtet


Räumdorne Innensechskant

12 x 40 mm | auch TIN-beschichtet erhältlich

Bestellnummer	Artikel	D	L	L1	L2	SW 6-kt.	RT
37-1,5	W 37 606.0150	12	40	15	25	1,5	4,5
37-2	W 37 606.0200	12	40	15	25	2	6,0
37-2,5	W 37 606.0250	12	40	15	25	2,5	6,5
37-3	W 37 606.0300	12	40	15	25	3	7,0
37-3,175	W 37 606.03175	12	40	15	25	1/8"	7,0
37-3,5	W 37 606.0350	12	40	15	25	3,5	9,0
37-4	W 37 606.0400	12	40	15	25	4	12,0
37-4,5	W 37 606.0450	12	40	18	22	4,5	12,0
37-5	W 37 606.0500	12	40	18	22	5	12,0
37-5,5	W 37 606.055x0	12	40	18	22	5,5	12,0
37-6	W 37 606.0600	12	40	18	22	6	12,0
37-6,35	W 37 606.0635	12	40	18	22	1/4"	12,0
37-7	W 37 606.0700	12	40	18	22	7	12,5
37-7,938	W 37 606.07938	12	40	18	22	5/16"	12,5
37-8	W 37 606.0800	12	40	18	22	8	13,0
37-9	W 37 606.0900	12	40	18	22	9	14,5
37-9,525	W 37 606.09525	12	40	18	22	3/8"	14,5
37-10	W 37 606.1000	12	40	18	22	10	16,0
37-11	W 37 606.1100	12	40	18	22	11	18,0
37-12	W 37 606.1200	12	40	18	22	12	19,0
37-12,7	W 37 606.1270	12	40	18	22	1/2"	19,0
37-13	W 37 606.1300	12	40	18	22	13	19,0
37-14	W 37 606.1400	12	40	18	22	14	19,0
37-15	W 37 606.1500	12	40	18	22	15	19,0
37-16	W 37 606.1600	12	40	18	22	16	19,0
37-17	W 37 606.1700	12	40	18	22	17	19,0
37-18	W 37 606.1800	12	40	18	22	18	19,0
37-19	W 37 606.1900	12	40	18	22	19	19,0
37-22	W 37 606.2200	12	40	18	22	22	19,0
37-24	W 37 606.2400	12	40	18	22	24	19,0
37-27	W 37 606.2700	12	40	18	22	27	19,0
37-32	W 37 606.3200	12	40	18	22	32	19,0

8 x 30 mm | auch TIN-beschichtet erhältlich

Bestellnummer	Artikel	D	L	L1	L2	SW 6-kt.	RT
43-1,5	W 43 806.0150	8	30	12	18	1,5	3,6/3,4
43-2	W 43 806.0200	8	30	12	18	2	5,6/5,4
43-2,5	W 43 806.0250	8	30	12	18	2,5	5,8/6,0
43-3	W 43 806.0300	8	30	12	18	3	7,2/7,0
43-3,5	W 43 806.0350	8	30	12	18	3,5	7,5/7,3
43-4	W 43 806.0400	8	30	15	15	4	9,2/9,0
43-4,5	W 43 806.0450	8	30	15	15	4,5	9,2/9,0
43-5	W 43 806.0500	8	30	15	15	5	10,0
43-5,5	W 43 806.0550	8	30	15	15	5,5	10,0
43-6	W 43 806.0600	8	30	15	15	6	11,0
43-6,35	W 43 806.0635	8	30	15	15	6,35	11,0
43-7	W 43 806.0700	8	30	15	15	7	11,0
43-8	W 43 806.0800	8	30	15	15	8	13,0
43-9	W 43 806.0900	8	30	15	15	9	13,0
43-10	W 43 806.1000	8	30	15	15	10	15,0
43-12	W 43 806.1200	8	30	15	15	12	15,0
43-14	W 43 806.1400	8	30	15	15	14	15,0



Räumdorne für Index-Halter

Werkstoff: HSS 1.3343 – gehärtet

Räumdorne Innentorx

12 x 40 mm | TIALN-beschichtet



Bestellnummer	Artikel	D	L	L1	L2	Torx
37-T6	W 37 Torx T 6	12	40	20	20	T 6
37-T7	W 37 Torx T 7	12	40	20	20	T 7
37-T8	W 37 Torx T 8	12	40	20	20	T 8
37-T9	W 37 Torx T 9	12	40	20	20	T 9
37-T10	W 37 Torx T 10	12	40	20	20	T 10
37-T15	W 37 Torx T 15	12	40	20	20	T 15
37-T20	W 37 Torx T 20	12	40	20	20	T 20
37-T25	W 37 Torx T 25	12	40	20	20	T 25
37-T27	W 37 Torx T 27	12	40	20	20	T 27
37-T30	W 37 Torx T 30	12	40	20	20	T 30
37-T40	W 37 Torx T 40	12	40	20	20	T 40
37-T45	W 37 Torx T 45	12	40	20	20	T 45
37-T50	W 37 Torx T 50	12	40	20	20	T 50
37-T55	W 37 Torx T 55	12	40	20	20	T 55
37-T60	W 37 Torx T 60	12	40	20	20	T 60

8 x 30 mm | TIALN-beschichtet



Bestellnummer	Artikel	D	L	L1	L2	Torx
43-T4	W 43 Torx T 4	8	30	15	15	T 4
43-T5	W 43 Torx T 5	8	30	15	15	T 5
43-T6	W 43 Torx T 6	8	30	15	15	T 6
43-T7	W 43 Torx T 7	8	30	15	15	T 7
43-T8	W 43 Torx T 8	8	30	15	15	T 8
43-T9	W 43 Torx T 9	8	30	15	15	T 9
43-T10	W 43 Torx T 10	8	30	15	15	T 10
43-T15	W 43 Torx T 15	8	30	15	15	T 15
43-T20	W 43 Torx T 20	8	30	15	15	T 20
43-T25	W 43 Torx T 25	8	30	15	15	T 25
43-T27	W 43 Torx T 27	8	30	15	15	T 27
43-T30	W 43 Torx T 30	8	30	15	15	T 30
43-T40	W 43 Torx T 40	8	30	15	15	T 40
43-T45	W 43 Torx T 45	8	30	15	15	T 45
43-T50	W 43 Torx T 50	8	30	15	15	T 50
43-T55	W 43 Torx T 55	8	30	15	15	T 55
43-T60	W 43 Torx T 55	8	30	15	15	T 60

Räumdorne VW-Norm 01043 - N

12 x 40 mm



Bestellnummer	Artikel	D	L	L1	L2	Größe
37-N4	W 37 N - 4	12	40	20	20	N 4
37-N5	W 37 N - 5	12	40	20	20	N 5
37-N6	W 37 N - 6	12	40	20	20	N 6
37-N7	W 37 N - 7	12	40	20	20	N 7
37-N8	W 37 N - 8	12	40	20	20	N 8
37-N9	W 37 N - 9	12	40	20	20	N 9
37-N10	W 37 N - 10	12	40	20	20	N 10
37-N12	W 37 N - 12	12	40	20	20	N 12
37-N14	W 37 N - 14	12	40	20	20	N 14
37-N16	W 37 N - 16	12	40	20	20	N 16

Andere Größen auf Anfrage.

Räumdorne für Doppelsechskant

12 x 40 mm



Bestellnummer	Artikel	D	L	L1	L2	Größe
37612-4	W 37 612.0400	12	40	20	20	SW 4
37612-5	W 37 612.0500	12	40	20	20	SW 5
37612-6	W 37 612.0600	12	40	20	20	SW 6
37612-8	W 37 612.0800	12	40	20	20	SW 8
37612-10	W 37 612.1000	12	40	20	20	SW 10
37612-12	W 37 612.1200	12	40	20	20	SW 12
37612-14	W 37 612.1400	12	40	20	20	SW 14
37612-17	W 37 612.1700	12	40	20	20	SW 17

Andere Größen auf Anfrage.